

Your Local Auto Retailer and Distribution Centre

My Car Performance Catalog 2015



mycarperformance.com.au

0424 343 997 - Monday-Friday

Index


- For Every Vehicle - p1-3
- Silicone Hoses - p4-9
- Alloy & Stainless Steel - p10-13
- Air Ducting - p14-15
- Performance Filters & Accessories- p16-17
- Hose Clips & Clamps - p18-21
- Hoses & Tubing - p22-23
- Joiners & Accessories - p24-25

Aussie owned and operated My Car Performance is your local retailer for auto spare parts and accessories. We distribute from the Penrith area and ship Australia-wide.

Our products include genuine quality Philips and Osram lights, high performance wiper blades, microfibre cleaning cloths and a huge range of silicone and alloy products. Dozens of options of sizes and colours mean you can customize your selection and create a performance masterpiece that is pleasing to the eyes and the ears.

Check out our complete range of K&N Oil filters, and a vast variety of K&N air filters available for special order. While you're there, why not pick up a matching magnetic sump plug to boost your vehicles' performance!

Check out our full product range at mycarperformance.com.au or give us a call on 0424 343 997.



Premium Auto Bulbs

My Car Performance is Australia's leading distributor of auto headlight bulbs, offering a wide range of fitments, brands and Kelvin ratings so you can tailor your light for your regular driving environment.

Unsure what fitment suits your vehicle? Give us a call and we can match your vehicle up with the right fitment.

With selected headlights

Free parkers!

Contact us for more information



Philips White Vision

4300K gives White Vision bulbs a brilliant white light, the highest Kelvin legal on the roads. Much brighter and safer than standard

Available fitments: H1, H3, H4, H7, HB3, W5W, T4W

From: \$44.95



Philips Crystal Vision

Like their sister bulb White Vision, Crystal Vision is 4300K, however the blue tint to the bulb gives a hint of cool blue in their light

Available fitments: H1, H4, H7, H11, HB3, HB4

From: \$44.95



Philips Diamond Vision

At 5000K, Diamond Vision gives an intense white-blue light, perfect for showroom cars. Make sure your car really stands out!

Available fitments: H1, H3, H4, H7, H11, HB3, HB4

From: \$44.95



Philips White Vision Parkers

Need a matching parking set? These bulbs match perfectly with all our range of bulbs, with a nice bright, white light with a quality that will last you for years

Available fitments: W5W, T4W

From: \$11.95



Osram NightBreaker Unlimited

NightBreaker bulbs are our choice for auto bulbs, with an extra +130% throw on the road, they make rural driving safer

Available fitments: H1, H3, H4, H7, H11, HB3, HB4

From: \$39.95



Osram Cool Blue Intense

Cool Blue Intense bulbs offer a bright, white light, with a great throw on the road, and a blue tint to the light that adds that extra bit of 'cool'

Available fitments: H4, W5W

From: \$36.95



Philips X-Treme Vision

X-Treme Vision is Philips answer to dark rural roads - giving +130% throw on the road, see further ahead and keep dangers in your sights

Available fitments: H1, H4, H7

From: \$44.95



Narva 120 Plus

A practical street light, with up to 120% more light and a 40m longer beam for improved safety when driving, and a longer life than standard bulbs

Available fitments: H4, H7

From: \$44.95



Windscreen Wiper Blades

No matter who you are, what vehicle you drive, or how often you use your car, there will always be two things you'll need; Wiper blades and Headlight Bulbs

Here at My Car Performance, we offer quality wiper blades that are streak free, noise free, and can last you up to 5 years

Pair them with a set of our genuine Philips or Osram bulbs, and you'll experience perfect vision no matter the weather or time of day.

Available Lengths

13in	18in	23in ¹	32in ^{1,2}
14in ¹	19in	24in	¹ -Not available
15in	20in	26in	in Bosch
16in	21in	28in ¹	² -Not available
17in	22in	30in ^{1,2}	in Tridon

MCP Branded

Introducing the My Car Performance branded quality wiper blades, built to suit every budget.

Available in all sizes, they are streak-free, noise-free, and you can expect them to still be performing perfectly for years to come.

Bosch Wiper Blades

My Car Performance stocks the trusted name of Bosch wiper blades.

Available in a range of sizes, you can be assured you'll receive a great quality, high performance wiper blade to suit your vehicle



Tridon Wiper Blades

Aussie branded Tridon Wipers are available for all sizes up to 28in, providing quality performance from a local company.

On par with Bosch in quality, Tridon wipers will perform efficiently for years



Fitments

Aero Twin

Available Lengths (inches):
13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 28, 30, 32

With clean and quite wiping, aero twin wipers are a quality budget solution. With a lifespan of over 3 years, this quality replacement set will give you quality for an affordable price.

Fitments: Hook (See img. R1)

From
\$18.95/pair

RRP \$

Hybrid

Available Lengths (inches):
13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 28, 30, 32

A new addition to the My Car Performance range of quality wipers, the Hybrid offers a high-contact wipe, providing the maximum visibility.

Suitable for a range of vehicles.

From
\$24.95/pair

RRP \$

Evolution

Available Lengths (inches):
13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 28, 30, 32

Evolution wipers are specially designed to fit a range of vehicles with their no-fuss multiple fitment design.

Available fitments include hook, push button, side pin, and top lock design. Contact us for more info

From
\$29.95/pair

RRP \$

Metal Frame

Available Lengths (inches):
13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 28, 30, 32

The metal frame design is sleek and discrete, the support arches giving the blade clear contact with the windscreen, providing a clean and quite wipe every time.

Available with multiple fitments inc. Hook (R1)

From
\$18.95/pair

RRP \$

Bosch

Available Lengths (inches):
13, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26

Trusted brand Bosch wiper blades are the premium solution to a dirty windshield. Their quiet wipe design will keep your windscreen clearer and vision sharper.

Available fitments: Hook (R1). Special order for different styles available

From
\$59.95/pair

RRP \$

Tridon Framed

Available Lengths (inches):
13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 28

Quality Australian brand Tridon offers their framed pair of wipers for a bargain price. The arch design keeps the blade in steady contact with the windscreen with every wipe.

Available with multiple fitments inc. Hook (R1)

From
\$29.95/pair

RRP \$

Tridon Aero

Available Lengths (inches):
13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 28

Tridon Complete wiper blades are a premium wiper in design and quality. The sleek design is smooth and sharp, keeping the windscreen cleaner and vision clearer

Fitments: Hook (R1)

From
\$49.95/pair

RRP \$

BEFORE PURCHASING: My Car Performance has data on thousands of vehicle wiper blade size and fitment, however they can vary year to year, or with location of manufacture. We recommend measuring your wiper blades and confirming what type of fitment you have prior to purchase to ensure you receive the correct product for you

CARE INSTRUCTIONS: While designed to perform for years, it's important that all of our wipers be kept clean and free of debris. Simply wipe with a damp cloth to remove anything trapped under them.

A dash of dish soap to the windscreen water bottle will keep them lubricated and wiping to perfection.

Silicone Hoses

My Car Performance offers the widest selection of silicone hoses suitable for uses in all vehicles from trucks & buses to performance production cars and bikes

We also sell aluminium joiners cut to length, and T-Bolt, Worm Drive and Mini Fuel Clamps to suit all range of hose sizes.



Straight Hose



Straight Reinforced Silicone Hoses are used in a huge range of applications. The formulated multi layered reinforced construction makes them ideal to replace old rubber hoses and particularly suited for all custom coolant plumbing applications.

Hose Specification

Material	Silicone with Polyester Reinforced
Standard Colours	Blue - Black - Red
Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm



CUT TO SIZE

Silicone Couplers are available in 3 Colours:

Blue - Black - Red

Lengths from 50mm long to 950mm long are available on request.



1 Metre Lengths

Part No.	ID (mm)	ID (inch)	Plys	Price
SSH 006	6.5	1/4"	3	18.13
SSH 008	8	5/16"	3	18.28
SSH 009	9.5	3/8"	3	19.77
SSH 011	11	7/16"	3	19.95
SSH 013	13	1/2"	3	20.05
SSH 016	16	5/8"	3	21.55
SSH 019	19	3/4"	3	21.93
SSH 022	22	7/8"	3	22.02
SSH 025	25	1"	3	24.11
SSH 028	28	1 1/8"	3	25.47
SSH 030	30	1 3/16"	3	27.26
SSH 032	32	1 1/4"	3	28.37
SSH 035	35	1 3/8"	3	28.99
SSH 038	38	1 1/2"	3	32.52
SSH 040	40	1 5/8"	3	34.42
SSH 045	45	1 3/4"	3	36.20
SSH 048	48	1 7/8"	3	38.51
SSH 051	51	2"	4	41.04
SSH 054	54	2 1/8"	4	43.45
SSH 057	57	2 1/4"	4	46.34
SSH 060	60	2 3/8"	4	47.12
SSH 063	63	2 1/2"	4	47.72
SSH 065	65	2 9/16"	4	49.53
SSH 068	68	2 11/16"	4	51.53
SSH 070	70	2 3/4"	4	53.27
SSH 076	76	3"	4	55.10
SSH 080	80	3 1/8"	4	58.35
SSH 083	83	3 1/4"	4	62.27
SSH 090	90	3 1/2"	4	65.32
SSH 102	102	4"	4	72.32
SSH 114	114	4 1/2"	4	74.05
SSH 127	127	5"	4	82.75
SSH 152	152	6"	4	93.46



COLOURS AVAILABLE

Blue (B) - Black (K) - Red (R) are our regular colours.



Wire Reinforced Tubing



Part No.	ID (mm)	ID (inch)	Plys	Price/m
SWR 008	8	5/16"	2	18.82
SWR 011	9.5	3/8"	2	22.89
SWR 013	13	1/2"	2	25.95
SWR 016	16	5/8"	2	28.95
SWR 019	19	3/4"	2	32.00
SWR 022	22	7/8"	2	34.95
SWR 025	25	1"	2	37.95
SWR 028	28	1 1/8"	2	40.95
SWR 030	30	1 3/16"	2	42.95
SWR 032	32	1 1/4"	2	45.95
SWR 035	35	1 3/8"	2	48.95
SWR 038	38	1 1/2"	2	51.95

Wire Reinforced Silicone Hoses offer increased flexibility, very high burst pressures, and will not collapse under vacuum.

The wire inner helix allows for the hose to be bent without fear of it kinking or reducing airflow.

Hose Specification

Material	Silicone with Wire Reinforced
Standard Colours	Blue - Black - Red
Special Colours	Contact us
Temperature	-60 °C to +180 °C
Wall Thickness	2 Ply - 4.5mm

Silicone Heater Hose



Part No.	ID (mm)	ID (inch)	Wall (mm)	Price/m
AFHH 10	10	3/8	5	19.95
AFHH 13	13	1/2	5	20.05
AFHH 16	16	5/8	5	21.55
AFHH 19	19	3/4	5	21.93
AFHH 25	25	1	5	24.11
AFHH 32	32	1-1/4	5	28.37
AFHH 38	38	1-1/2	5	32.52
AFHH 45	45	1-3/4	5	36.20

Radiator Heater Hoses have been specifically designed to cope with the extreme demands of heating and cooling systems where continuous lengths are required (up to 4 Metres).

A triple ply polyester ultra reinforced hose with a working temperature of +200°C exceeds the specification of standard rubber. Available in a range of sizes, in blue or black.

Hose Specification

Material	Single Ply Extruded Silicone
Standard Colours	Blue & Black
Operating Temperature	-60 °C to +200 °C
Reinforcement	3 Ply Polyester
Length	.5 Metre to 4 Metres

Silicone Elbows

Silicone Hose Elbows, are manufactured with a formulated multi layered reinforced construction making them ideal for replacing old rubber hoses and particularly suited for all custom coolant plumbing applications

Hose Specification


Material	Silicone Polyester Reinforced
Standard Colours	Blue - Black - Red
Special Colours	Contact Us
Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Leg Length	45°/90° - 150mm 135°/180° - 100mm




Blue (B) - Black (K) - Red (R) are stock colours. Additional colours available for special manufacture order.




45° Elbow




90° Elbow



135° Elbow



180° Elbow



45 Degree Part No.	90 Degree Part No.	135 Degree Part No.	180 Degree Part No.	ID (mm)	ID (inch)	Plys	Price
SSE 045 006	SSE 090 006	SSE 135 006	SSE 180 006	6.5	1/4"	3	9.85
SSE 045 008	SSE 090 008	SSE 135 008	SSE 180 008	8	5/16"	3	9.90
SSE 045 009	SSE 090 009	SSE 135 009	SSE 180 009	9.5	3/8"	3	9.95
SSE 045 011	SSE 090 011	SSE 135 011	SSE 180 011	11	7/16"	3	10.00
SSE 045 013	SSE 090 013	SSE 135 013	SSE 180 013	13	1/2"	3	10.65
SSE 045 016	SSE 090 016	SSE 135 016	SSE 180 016	16	5/8"	3	10.75
SSE 045 019	SSE 090 019	SSE 135 019	SSE 180 019	19	3/4"	3	10.95
SSE 045 022	SSE 090 022	SSE 135 022	SSE 180 022	22	7/8"	3	11.32
SSE 045 025	SSE 090 025	SSE 135 025	SSE 180 025	25	1"	3	11.45
SSE 045 028	SSE 090 028	SSE 135 028	SSE 180 028	28	1 1/8"	3	11.65
SSE 045 030	SSE 090 030	SSE 135 030	SSE 180 030	30	1 3/16"	3	12.00
SSE 045 032	SSE 090 032	SSE 135 032	SSE 180 032	32	1 1/4"	3	12.54
SSE 045 035	SSE 090 035	SSE 135 035	SSE 180 035	35	1 3/8"	3	13.17
SSE 045 038	SSE 090 038	SSE 135 038	SSE 180 038	38	1 1/2"	3	13.95
SSE 045 040	SSE 090 040	SSE 135 040	SSE 180 040	41	1 5/8"	3	14.99
SSE 045 045	SSE 090 045	SSE 135 045	SSE 180 045	45	1 3/4"	3	16.18
SSE 045 048	SSE 090 048	SSE 135 048	SSE 180 048	48	1 7/8"	3	17.45
SSE 045 051	SSE 090 051	SSE 135 051	SSE 180 051	51	2"	4	19.28
SSE 045 054	SSE 090 054	SSE 135 054	SSE 180 054	54	2 1/8"	4	21.00
SSE 045 057	SSE 090 057	SSE 135 057	SSE 180 057	57	2 1/4"	4	21.85
SSE 045 060	SSE 090 060	SSE 135 060	SSE 180 060	60	2 3/8"	4	22.71
SSE 045 063	SSE 090 063	SSE 135 063	SSE 180 063	63	2 1/2"	4	23.91
SSE 045 065	SSE 090 065	SSE 135 065	SSE 180 065	65	2 9/16"	4	24.43
SSE 045 068	SSE 090 068	SSE 135 068	SSE 180 068	68	2 11/16"	4	25.84
SSE 045 070	SSE 090 070	SSE 135 070	SSE 180 070	70	2 3/4"	4	27.07
SSE 045 076	SSE 090 076	SSE 135 076	SSE 180 076	76	3"	4	28.69
SSE 045 080	SSE 090 080	SSE 135 080	SSE 180 080	80	3 1/8"	4	29.95
SSE 045 083	SSE 090 083	SSE 135 083	SSE 180 083	83	3 1/4"	4	30.93
SSE 045 090	SSE 090 090	SSE 135 090	SSE 180 090	90	3 1/2"	4	31.90
SSE 045 102	SSE 090 102	SSE 135 102	SSE 180 102	102	4"	4	33.16

Silicone T-Pieces

T-Piece Reinforced Silicone Hoses are used in a wide range of applications. T-Piece Silicone Hoses have been designed to allow the integration of an additional outlet being plumbed into the cooling system.

Part No.	ID (mm)	ID (inch)	Plys	Price
STP 025	25	1"	3	10.35
STP 032	32	1 1/4"	3	11.53
STP 035	35	1 3/8"	3	11.92
STP 038	38	1 1/2"	3	12.70
STP 045	45	1 5/8"	3	13.77
STP 051	51	2"	4	15.97
STP 054	54	2 1/8"	4	16.98
STP 057	57	2 1/4"	4	18.48
STP 060	60	2 3/8"	4	19.23
STP 063	63	2 1/2"	4	20.25
STP 070	70	2 3/4"	4	20.75
STP 076	76	3"	4	21.14
STP 102	102	4"	4	23.57



Hose Specification

Material	Silicone Polyester Reinforced
Standard Colours	Blue - Black - Red
Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Length	150mm
Spout ID	25mm

Silicone Hump Hoses

Hump Bellow Silicone Hoses are generally used in applications where there is movement between two outlets. The bellow in the hose is designed to absorb shock, vibrations and movement.



Hose Specification

Material	Silicone Polyester Reinforced
Standard Colours	Blue - Black - Red
Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Length	100mm

Silicone End Caps

Silicone End Caps are ideal for use as: End Caps - Blanking Plugs - Hose Finishers - Braided Hose End Covers. Available in 3 Colours to match your engine bay styling requirements.



Cap Specification

Material	Silicone Moulded Cap
Standard Colours	Blue - Black - Red
Temperatures	-60 °C to +200 °C
Wall Thickness	3.5mm
Pack Qty	2 (1 Pair)

Alloy & Stainless

My Car Performance offers an extensive range of aluminium & stainless steel pipework and accessories. Including made to measure alloy joiners with optional beading, alloy and stainless steel elbows, alloy T-Pieces, blanking plugs and much more.



Alloy Straight Pipes

My Car Performance offers T6063 Alloy 1 Metre Lengths in a wide range of sizes, with a mirror polished finish and with optional swaging service. Excellent lightweight option for your hose joining applications.



Add \$5 per Bead

Pipe Specification

Material	Polished Aluminium
Grade	T6063
Max Temperature	+220 °C
Wall Thickness	1.6mm



CUSTOM ALLOY JOINERS

Custom Alloy Joiners are available in lengths from 50mm to 950mm.

Most alloy pipework can be custom beaded.



More info at mycarperformance.com.au

75MM BEADED JOINERS

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
AHJ 075 019	19	3/4"	1.6mm	4.92
AHJ 075 022	22	7/8"	1.6mm	5.05
AHJ 075 025	25	1"	1.6mm	5.17
AHJ 075 028	28	1 1/8"	1.6mm	5.32
AHJ 075 030	30	1 3/16"	1.6mm	5.90
AHJ 075 032	32	1 1/4"	1.6mm	6.06
AHJ 075 035	35	1 3/8"	1.6mm	6.85
AHJ 075 038	38	1 1/2"	1.6mm	7.09
AHJ 075 040	40	1 5/8"	1.6mm	6.68
AHJ 075 045	45	1 3/4"	1.6mm	6.90
AHJ 075 051	51	2"	1.6mm	7.17
AHJ 075 054	54	2 1/8"	1.6mm	7.55
AHJ 075 057	57	2 1/4"	1.6mm	7.73
AHJ 075 060	60	2 3/8"	1.6mm	8.33
AHJ 075 063	63	2 1/2"	1.6mm	9.09
AHJ 075 065	65	2 9/16"	1.6mm	9.20
AHJ 075 068	68	2 11/16"	1.6mm	9.45
AHJ 075 070	70	2 3/4"	1.6mm	9.57
AHJ 075 076	76	3"	1.6mm	9.93
AHJ 075 080	80	3 1/8"	1.6mm	10.25
AHJ 075 083	83	3 1/4"	1.6mm	10.55
AHJ 075 090	90	3 1/2"	1.6mm	10.95
AHJ 075 102	102	4"	1.6mm	11.42

1 Metre Lengths

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
APT 006	6	1/4"	1.6mm	18.80
APT 008	8	5/16"	1.6mm	19.38
APT 009	9.5	3/8"	1.6mm	19.51
APT 013	13	1/2"	1.6mm	19.69
APT 016	16	5/8"	1.6mm	22.76
APT 019	19	3/4"	1.6mm	23.39
APT 022	22	7/8"	1.6mm	23.97
APT 025	25	1"	1.6mm	24.54
APT 028	28	1 1/8"	1.6mm	25.26
APT 032	32	1 1/4"	1.6mm	28.80
APT 038	38	1 1/2"	1.6mm	29.01
APT 040	40	1 5/8"	1.6mm	31.71
APT 045	45	1 3/4"	1.6mm	32.78
APT 051	51	2"	1.6mm	34.06
APT 054	54	2 1/8"	1.6mm	35.52
APT 057	57	2 1/4"	1.6mm	36.71
APT 060	60	2 3/8"	1.6mm	29.58
APT 063	63	2 1/2"	1.6mm	43.18
APT 070	70	2 3/4"	1.6mm	45.44
APT 076	76	3"	1.6mm	47.16
APT 080	80	3 1/8"	1.6mm	18.67
APT 090	90	3 1/2"	1.6mm	49.91
APT 102	102	4"	1.6mm	54.23

Alloy Elbows

Mirror Polished Alloy Elbows are an excellent lightweight option for your hose joining and bespoke induction applications. These offer an excellent lightweight option for your hose joining applications.


Ideal for use in custom intercooler kits, see pages 4-9 for Silicone Hose range.

Pipe Specification


Material	Polished Aluminium
Grade	T6063
Max Temperature	+220 °C
Wall Thickness	1.6mm
Leg Length	45°/90° - 150mm 135°/180° - 100mm




45° Elbow




90° Elbow



135° Elbow



180° Elbow



45 Degree Part No.	90 Degree Part No	135 Degree Part No	180 Degree Part No	OD (mm)	OD (inch)	Wall Thickness	Price
AHE 045 013	AHE 090 013	AHE 135 013	AHE 180 013	13	1/2"	1.6mm	16.50
AHE 045 016	AHE 090 016	AHE 135 016	AHE 180 016	16	5/8"	1.6mm	16.85
AHE 045 019	AHE 090 019	AHE 135 019	AHE 180 019	19	3/4"	1.6mm	16.90
AHE 045 025	AHE 090 025	AHE 135 025	AHE 180 025	25	1"	1.6mm	17.50
AHE 045 032	AHE 090 032	AHE 135 032	AHE 180 032	32	1 1/4"	1.6mm	18.39
AHE 045 038	AHE 090 038	AHE 135 038	AHE 180 038	38	1 1/2"	1.6mm	19.39
AHE 045 051	AHE 090 051	AHE 135 051	AHE 180 051	51	2"	1.6mm	22.05
AHE 045 057	AHE 090 057	AHE 135 057	AHE 180 057	57	2 1/4"	1.6mm	24.85
AHE 045 060	AHE 090 060	AHE 135 060	AHE 180 060	60	2 3/8"	1.6mm	26.80
AHE 045 063	AHE 090 063	AHE 135 063	AHE 180 063	63	2 1/2"	1.6mm	27.80
AHE 045 070	AHE 090 070	AHE 135 070	AHE 180 070	70	2 3/4"	1.6mm	28.80
AHE 045 076	AHE 090 076	AHE 135 076	AHE 180 076	76	3"	1.6mm	30.58
AHE 045 080	AHE 090 080	AHE 135 080	AHE 180 080	80	3 1/8"	1.6mm	35.86
AHE 045 090	AHE 090 090	AHE 135 090	AHE 180 090	90	3 1/2"	1.6mm	37.48
AHE 045 102	AHE 090 102	AHE 135 102	AHE 180 102	102	4"	1.6mm	39.97

Alloy T-Pieces

Our range of Alloy T-Pieces are made from lightweight mirror polished T6063 aluminium. Each end on the T-Piece feature swaged ends (1.5mm raised beaded lip), essential for secure hose installation on high boost applications.

Spout OD is 25mm on all sizes

Pipe Specification

Material	Polished Aluminium
Grade	T6063
Length	102mm
Max Temperature	+220 °C
Wall Thickness	1.6mm
Spout OD	25mm



Part No.	ID (mm)	ID (inch)	Wall Thickness	Price
ATP 025	25	1"	1.6mm	15.95
ATP 032	32	1 1/4"	1.6mm	17.25
ATP 038	38	1 1/2"	1.6mm	18.30
ATP 045	45	1 3/4"	1.6mm	18.45
ATP 051	51	2"	1.6mm	18.60
ATP 057	57	2 1/4"	1.6mm	18.75
ATP 060	60	2 3/8"	1.6mm	19.75
ATP 063	63	2 1/2"	1.6mm	19.95
ATP 070	70	2 3/4"	1.6mm	20.25
ATP 076	76	3"	1.6mm	21.85
ATP 090	90	3 1/2"	1.6mm	23.80
ATP 102	102	4"	1.6mm	25.85

Water Sensor



Order Suffix 'S'



Order Suffix



Order Suffix 'R'

Part No.	ID (mm)	ID (inch)	Price
AWA 028	28	1 1/8"	9.75
AWA 030	30	1 3/16"	9.75
AWA 032	32	1 1/4"	9.75
AWA 034	34	1 11/32"	9.75
AWA 036	36	1 13/32"	9.75
AWA 038	38	1 1/2"	9.75

ASH Polished Alloy Water Sensor Adaptor can be fitted into a section of a water pipe. 1/8th NPT thread suits all popular water temperature sensors. Available in Polished Silver, Anodised Blue and Anodised Red.

Adaptor Specification

Material	Aluminium
Spout Length	20mm
Overall Length	65mm
Sensor Thread	1/8th NPT Thread

Stainless Steel Overbraid

Stainless Steel Braid is designed to slide over the top of your existing hoses whether they be Rubber, Silicone etc to give high performance show spec look and added protection.

Braid Specification

Material	Stainless Steel T304
Max Temperature	+220 °C

Part No.	Internal Diameter (mm)	Max Length	Price (per metre)
AN4	6	10m	18.50
AN6	8.6	10m	19.20
AN8	11.2	10m	19.95
AN10	14	10m	20.40
AN12	17.5	10m	21.95



Stainless Steel Pipes

Stainless Steel high performance pipe is designed for a wide range of applications. Mirror Polished Stainless Steel T304 grade can be used in applications including Motor Sport, Marine, Industrial and Agricultural.

1 Metre Lengths

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
SPT 019	19mm	3/4"	1.6mm	29.36
SPT 025	25mm	1"	1.6mm	34.60
SPT 038	38mm	1 1/2"	1.6mm	37.46
SPT 051	51mm	2"	1.6mm	47.18
SPT 063	63mm	2 1/2"	1.6mm	51.78
SPT 076	76mm	3"	1.6mm	58.24

45° Elbows

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
SPE 045 013	13	1/2"	1.6mm	15.50
SPE 045 016	16	5/8"	1.6mm	16.15
SPE 045 019	19	3/4"	1.6mm	16.72
SPE 045 025	25	1"	1.6mm	17.12
SPE 045 032	32	1 1/4"	1.6mm	18.39
SPE 045 038	38	1 1/2"	1.6mm	23.20
SPE 045 051	51	2"	1.6mm	25.90
SPE 045 057	57	2 1/4"	1.6mm	26.95
SPE 045 060	60	2 3/8"	1.6mm	27.10
SPE 045 063	63	2 1/2"	1.6mm	28.50
SPE 045 070	70	2 3/4"	1.6mm	29.74
SPE 045 076	76	3"	1.6mm	29.94
SPE 045 102	102	4"	1.6mm	39.95

Pipe Specification

Material	Stainless Steel
Grade	T304
Temperature	-60 °C + 220 °C
Wall Thickness	1.6mm
Elbow Leg Length	150mm



90° Elbows

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
SPE 090 013	13	1/2"	1.6mm	15.50
SPE 090 016	16	5/8"	1.6mm	16.15
SPE 090 019	19	3/4"	1.6mm	16.72
SPE 090 025	25	1"	1.6mm	17.12
SPE 090 032	32	1 1/4"	1.6mm	18.39
SPE 090 038	38	1 1/2"	1.6mm	23.20
SPE 090 051	51	2"	1.6mm	25.90
SPE 090 057	57	2 1/4"	1.6mm	26.95
SPE 090 060	60	2 3/8"	1.6mm	27.10
SPE 090 063	63	2 1/2"	1.6mm	28.50
SPE 090 070	70	2 3/4"	1.6mm	29.74
SPE 090 076	76	3"	1.6mm	29.94
SPE 090 102	102	4"	1.6mm	39.95



Alloy Blanking Plugs

Alloy Blanking Plugs can be used to seal off Silicone & Rubber hose ends. Each plug is grooved for an ultimate seal, ensuring no leaks. CNC machined and polished finish.

Plug Specification

Material	CNC Aluminium
Spout Length	25mm (grooved)
Overall Length	32mm


Part No.	ID (mm)	ID (inch)	Price
ABP 008	8	5/16"	6.75
ABP 010	10	3/8"	6.85
ABP 013	13	1/2"	6.90
ABP 016	16	5/8"	6.95
ABP 019	19	3/4"	7.10
ABP 022	22	7/8"	7.50
ABP 025	25	1"	7.75
ABP 032	32	1 1/4"	8.55
ABP 035	35	1 3/8"	8.65
ABP 038	38	1 1/2"	8.75



Air Ductings

Our range of low, medium and high temperature ducting's are perfectly suited for a vast range of air relocation projects.

Available in both silicone and plastic, we have a range of ducting to suit cosmetic and performance needs for a wide range of vehicles and applications.



Plastic Ducting with Rubber Ends



The 76mm Internal Diameter means that this will suit 90% of vehicles on the road without requiring adaptation. Paired with one of our Silicone Reducers and an Alloy Joining Coupler, they can be made to suit almost any size intake or application.

Wire reinforced for extra durability and strength.

Includes 2x Rubber ends and 2x Hose Clamps to suit.

Ducting Specification

Construction	Plastic Wire Reinforced - Rubber ends
Colours	Black ducting/ends
Lengths	300mm to 1m expansion
Temperature	-60 °C to +125 °C
Internal Diameter	76mm

Only \$25.95!

Plastic Ducting with Alloy Ends

Our range of plastic ducting with customizable alloy ends will bring an extra flair to your engine bay.

Available in black, blue, red and silver, these ducting come with easy-mount brackets for quick and easy installation.



Ducting Specification

Construction	Plastic Wire Reinforced - Alloy ends
Colours	Blue/Silver/Red/Black alloy ends
Lengths	300mm to 750mm expansion
Temperature	-60 °C to +125 °C
Internal	76mm

Only \$29.95!

Part No.	Ends Colour	ID (mm)	Price
FAD 076 K	Black	76	\$
FAD 076 S	Silver	76	\$
FAD 076 R	Red	76	\$
FAD 076 B	Blue	76	\$

Silicone Air Ducting

Our Silicone Coated 2 Ply Air Ducting features a double layer of specially formulated, extremely durable & hard wearing silicone, complete with Internal bronze coated steel spiral spring to maintain diameter and be extremely lightweight.



Black

Part No.	ID (mm)	ID (inch)	Price (Metre)
FKD 100 051	51	2"	52.52
FKD 100 057	57	2 1/4"	54.52
FKD 100 060	60	2 3/8"	55.34
FKD 100 063	63	2 1/2"	56.70
FKD 100 070	70	2 3/4"	59.48
FKD 100 076	76	3"	61.78
FKD 100 080	80	3 1/8"	63.39
FKD 100 083	83	3 1/4"	64.92
FKD 100 090	90	3 1/2"	66.93
FKD 100 102	102	4"	72.02

Red

Part No.	ID (mm)	ID (inch)	Price (Metre)
FRD 100 051	51	2"	45.77
FRD 100 057	57	2 1/4"	47.41
FRD 100 060	60	2 3/8"	48.12
FRD 100 063	63	2 1/2"	49.30
FRD 100 070	70	2 3/4"	51.72
FRD 100 076	76	3"	53.72
FRD 100 080	80	3 1/8"	55.12
FRD 100 083	83	3 1/4"	56.45
FRD 100 090	90	3 1/2"	58.20
FRD 100 102	102	4"	62.63



Ducting Specification

Construction	Glass Fabric Inner / Silicone Outer
Colours	Black - Red - Blue (Special Order)
Lengths	1 Metre to 4 Metres
Temperature	-60 °C to +325 °C
Plys	2 Ply



SILICONE AIR DUCTING

As a speciality product, our silicone ducting range is kept limited on shelves.

Various lengths, colours and sizes may need to be special ordered.

Contact us for accurate stock levels



Performance Filters

My Car Performance offer a comprehensive range of performance upgrade Air and Oil Filters, covering a vast range of sizing options and colours.

Our filters are washable and reusable, allowing them to continue to perform brilliantly for years and years.

Also available are products from leading brand K&N, whose filters are trusted in performance race cars.



Mini Breather

Mini Breather Air Filters consist of a robust filter element in a choice of colour gauzes and a stainless steel option. The rubber neck sleeve comes in a range of sizes suitable for many applications.



Polished

Part No.	ID (mm)	ID (inch)	Price
AFB 009	9	3/8"	8.95
AFB 012	12	7/16"	8.95
AFB 015	15	5/8"	8.95
AFB 018	18	3/4"	8.95
AFB 025	25	1"	8.95

Anodized

Part No.	ID (mm)	ID (inch)	Price
AFB 009	9	3/8"	9.95
AFB 012	12	7/16"	9.95
AFB 015	15	5/8"	9.95
AFB 018	18	3/4"	9.95
AFB 025	25	1"	9.95

Polished	Anodised
Blue: Order Suffix 'B'	Anodised Blue: Order Suffix 'AB'
Red: Order Suffix 'R'	Anodised Red: Order Suffix 'AR'
Silver: Order Suffix 'S'	

K&N Air Filters

K&N quality performance air filters are washable and re-usable, providing high-end filtration and performance in your engine.

These filters are designed to increase horsepower and acceleration, and with the Million Mile guarantee, K&N air filters are guaranteed to last.

Available in cone, panel and round shapes, there's a size and shape suitable for almost every vehicle.

Prices starting from \$35.95, contact us to find a filter to suit you.



Carbon Airbox & Airbox Kit

This great value kit includes a Genuine Carbon Fibre Airbox, as well as 1 metre ducting, two rubber ends and two clamps for easy and no-fuss installation.

Fits easily to 90% of vehicles and replaces the current air filter with a sturdy and washable filter that will last you years and years.

Available with a 1m ducting, rubber reducer intake funnels and clamps, or as a separate airbox piece.

Filter Specification

Filter Material	Cotton Gauze
Case Material	Carbon Fibre
Dimensions (WxH)	130mm x 185mm
Outlet Diameter	76mm
Temperature	-60 °C to +200 °C



Only \$99.95!



For full kit with ducting, add an extra \$20.00

K&N Oil Filters

K&N Oil filters offer the highest level of performance. Used in Nascar racing, these oil filters are sure to increase the performance and cleanliness of your engine.

Wrench Off oil filters are K&N's answer to cramped engines. Their specially designed hex-head purchase bolt allow them to be twisted off quickly and easily, with no mess.

Pro Series oil filters are fitted into Nascar racing cars, their performance trusted by the professionals. They are guaranteed to improve your engines' performance, contact us for prices.



Magnetic Sump Plugs

Magnetic sump plugs are an absolute must-have for every engine. Their magnetic tip picks up the finest of metals that can cause harm to your engine over time, keeping your engine cleaner and performing better.

Available in blue, black, red, purple and gold



Only \$9.95!

Sizes available: M12x1.5, M12x1.25, M12x1.75, M20x1.5

Hose Clips & Clamps

Every Hose needs a Hose Clip! That is why we offer a hose clip to suit every hose we manufacture. Covering our vast range of sizes and available in both Zinc Plated & Stainless Steel.

For high pressure applications we recommend using T Bolt Hose Clamps.



Worm Drive Hose clips

ASH Hose Clips are designed to suit most hose applications. Worm Drive head and 12mm wide band ensures maximum thrust when tightening. BSI standards in all areas, providing excellent reliability.

- W1 - Zinc Plated Mild Steel Band, Housing & Screw
- W4 - Stainless Steel Band, Housing & Screw

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rolled Edges
Screw Type	Slotted Hex Head
Standard	DIN 3017



T Bolt Hose Clamps

T-Bolt Clamps have a set screw which pulls the two sides of the clamp together, and a wide band width, creating a heavy duty hose clamp. Ideal for turbo pressure hoses and high pressure engine cooling hoses.

- W1 - Zinc Plated Mild Steel Band, Cylinders, Flange & Bolt
- W4 - Stainless Steel Band, Cylinders, Flange & Bolt

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rolled Edges
Screw Type	Hex Head



Clip Range (mm)	Band Thickness (mm)	Screw Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price	Stainless Steel Part No.	Price
9.5 - 12	0.6	7	12	PHC 009 012	0.47	SHC 009 012	0.96
11 - 16	0.6	7	12	PHC 011 016	0.50	SHC 011 016	1.00
13 - 20	0.6	7	12	PHC 013 020	0.53	SHC 013 020	1.09
16 - 22	0.6	7	12	PHC 016 022	0.57	SHC 016 022	1.12
18 - 25	0.6	7	12	PHC 018 025	0.58	SHC 018 025	1.18
22 - 30	0.6	7	12	PHC 022 030	0.63	SHC 022 030	1.26
25 - 35	0.6	7	12	PHC 025 035	0.65	SHC 025 035	1.30
30 - 40	0.6	7	12	PHC 030 040	0.71	SHC 030 040	1.41
32 - 45	0.6	7	12	PHC 032 045	0.71	SHC 032 045	1.44
35 - 50	0.6	7	12	PHC 035 050	0.75	SHC 035 050	1.49
40 - 55	0.6	7	12	PHC 040 055	0.79	SHC 040 055	1.60
45 - 60	0.6	7	12	PHC 045 060	0.91	SHC 045 060	1.80
55 - 70	0.6	7	12	PHC 055 070	0.92	SHC 055 070	1.86
60 - 80	0.6	7	12	PHC 060 080	1.00	SHC 060 080	2.05
70 - 90	0.6	7	12	PHC 070 090	1.04	SHC 070 090	2.06
85 - 100	0.6	7	12	PHC 085 100	1.09	SHC 085 100	2.17
90 - 120	0.6	7	12	PHC 090 120	1.12	SHC 090 120	2.25
110 - 140	0.6	7	12	PHC 110 140	1.23	SHC 110 140	2.45
120 - 150	0.6	7	12	PHC 120 150	1.26	SHC 120 150	3.18
135 - 165	0.6	7	12	PHC 135 165	1.31	SHC 135 165	3.27


Clip Range (mm)	Band Thickness (mm)	Screw Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price	Stainless Steel Part No.	Price
17 - 19	0.6	M5	18	PTB 017 019	2.54	STB 017 019	3.65
20 - 22	0.6	M5	18	PTB 020 022	2.60	STB 020 022	3.75
23 - 25	0.6	M5	18	PTB 023 025	2.64	STB 023 025	3.95
26 - 28	0.6	M5	18	PTB 026 028	2.75	STB 026 028	4.10
29 - 31	0.8	M6	20	PTB 029 031	3.10	STB 029 031	4.15
32 - 35	0.8	M6	20	PTB 032 035	3.27	STB 032 035	4.20
36 - 39	0.8	M6	20	PTB 036 039	3.28	STB 036 039	4.25
40 - 43	0.8	M6	20	PTB 040 043	3.29	STB 040 043	4.35
44 - 47	1.2	M8	22	PTB 044 047	3.31	STB 044 047	4.42
48 - 51	1.2	M8	22	PTB 048 051	3.32	STB 048 051	5.03
52 - 55	1.2	M8	22	PTB 052 055	3.45	STB 052 055	5.25
56 - 59	1.2	M8	22	PTB 056 059	3.54	STB 056 059	5.56
60 - 63	1.2	M8	22	PTB 060 063	3.76	STB 060 063	5.78
64 - 67	1.2	M8	22	PTB 064 067	3.83	STB 064 067	5.83
68 - 73	1.5	M8	24	PTB 068 073	3.95	STB 068 073	6.01
74 - 79	1.5	M8	24	PTB 074 079	4.27	STB 074 079	6.25
80 - 85	1.5	M8	24	PTB 080 085	4.52	STB 080 085	6.52
86 - 91	1.5	M8	24	PTB 086 091	4.93	STB 086 091	6.57
92 - 97	1.5	M8	24	PTB 092 097	4.98	STB 092 097	6.67
98 - 103	1.5	M8	24	PTB 098 103	5.14	STB 098 103	6.98
104 - 112	1.5	M8	24	PTB 104 112	5.35	STB 104 112	7.37
113 - 121	1.5	M8	24	PTB 113 121	5.70	STB 113 121	8.37
122 - 130	1.5	M8	24	PTB 122 130	6.25	STB 122 130	8.95

Mini Hose Clamps

The Mini Clip, also known as the Nut & Bolt, Fuel Line or Petrol Pipe Clip is tailor made for many applications where wide adjustment span is not necessary. Available in zinc plated or stainless steel.

Clip Specification

Material	Zinc or Stainless Steel
Band Type	Rolled Edges
Screw Type	Slotted Hex Head



W1 - Zinc Plated Mild Steel Band, Screw & Nut
W4 - Stainless Steel Band, Screw & Nut

Clip Range (mm)	Band Thickness (mm)	Screw Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price (Per 10)	Stainless Steel Part No.	Price (Per 10)
7 to 9	0.6	7	9	PMC 007 009	10.60	SMC 007 009	13.65
8 to 10	0.6	7	9	PMC 008 010	10.80	SMC 008 010	14.04
9 to 11	0.6	7	9	PMC 009 011	11.10	SMC 009 011	14.43
10 to 12	0.6	7	9	PMC 010 012	11.45	SMC 010 012	14.59
11 to 13	0.6	7	9	PMC 011 013	11.70	SMC 011 013	14.43
12 to 14	0.6	7	9	PMC 012 014	11.90	SMC 012 014	14.82
13 to 15	0.6	7	9	PMC 013 015	12.15	SMC 013 015	14.82
14 to 16	0.6	7	9	PMC 014 016	12.35	SMC 014 016	15.21
15 to 17	0.6	7	9	PMC 015 017	12.55	SMC 015 017	15.21
16 to 18	0.6	7	9	PMC 016 018	12.95	SMC 016 018	15.60
18 to 20	0.6	7	9	PMC 018 020	13.20	SMC 018 020	15.99

Rubber Lined P Clips

Rubber Lined P Clips are designed for securing pipes, hoses and cables in applications where there is the possibility of chafing and damage. Perfect for mounting to the chassis of vehicles and other industrial enclosures.

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rubber Lined



W1 - Zinc Plated Mild Steel Band
W4 - Stainless Steel Band

Clip Range (mm)	Band Thickness (mm)	Hole Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price (Per 10)	Stainless Steel Part No.	Price (Per 10)
5 to 6	0.6	5	12	PPC 005	8.90	SPC 005	9.90
6 to 8	0.6	5	12	PPC 006	8.95	SPC 006	9.95
8 to 10	0.6	5	12	PPC 008	9.60	SPC 008	10.50
10 to 13	0.6	5	12	PPC 010	9.20	SPC 010	10.60
13 to 16	0.6	5	12	PPC 013	9.50	SPC 013	10.80
16 to 21	0.6	5	12	PPC 016	9.90	SPC 016	11.30
21 to 25	0.6	5	12	PPC 021	10.50	SPC 021	11.90
25 to 29	0.6	5	12	PPC 025	10.90	SPC 025	12.20
29 to 35	0.6	5	12	PPC 029	11.50	SPC 029	12.70
35 to 40	0.6	5	12	PPC 035	11.90	SPC 035	12.90

Worm Drive Clamps



Worm drive clamps are the best choice for durable and reliable hose clamping.

Available in a range of sizes, worm drive clamps will bind hoses big and small. Their slim design makes them noninvasive and discrete, so they won't weigh down or clutter.

Also available in Jubilee®, world renowned quality clamp manufacturer.

Size Ref	Range (mm)	Zinc Plated Part No.	Price	Stainless Steel Part No.	Price
OOO	9.5 - 12	JHC 095 012	1.09	JSC 095 012	1.91
MOO	11 - 16	JHC 011 016	1.09	JSC 011 016	1.94
OO	13 - 20	JHC 013 020	1.10	JSC 013 020	1.94
O	16 - 22	JHC 016 022	1.26	JSC 016 022	2.35
OX	18 - 25	JHC 018 025	1.28	JSC 018 025	2.43
1A	22 - 30	JHC 022 030	1.34	JSC 022 030	2.59
1	25 - 35	JHC 025 035	1.41	JSC 025 035	2.67
1X	30 - 40	JHC 030 040	1.47	JSC 030 040	2.75
1M	32 - 45	JHC 032 045	1.52	JSC 032 045	2.88
2A	35 - 50	JHC 035 050	1.57	JSC 035 050	3.13
2	40 - 55	JHC 040 055	1.62	JSC 040 055	3.24
2X	45 - 60	JHC 045 060	1.70	JSC 045 060	3.37
3	55 - 70	JHC 055 070	1.88	JSC 055 070	3.61
3X	60 - 80	JHC 060 080	1.98	JSC 060 080	3.86
4	70 - 90	JHC 070 090	2.06	JSC 070 090	4.02
4X	85 - 100	JHC 085 100	2.30	JSC 085 100	4.18
5	90 - 120	JHC 090 120	2.80	JSC 090 120	4.62
6	110 - 140	JHC 110 140	3.16	JSC 110 140	5.02
6X	120 - 150	JHC 120 150	3.35	JSC 120 150	5.15
7	135 - 165	JHC 135 165	3.39	JSC 135 165	5.56

Zinc Plated O Clamp



For use on coolant pipe connection in consumer and commercial refrigerators and freezers.

Great for connecting brake air lines, fuel pipes, water pumps, heating and ventilating system in vehicles and much more.

Part No.	Range (mm)	Price
OC03141	3.1-4.1	0.30
OC03545	3.5-4.5	0.32
OC0305	3-5	0.34
OC0507	5-7	0.36
OC0709	7-9	0.38
OC0811	8-11	0.42
OC1113	11-13	0.46
OC1315	13-15	0.49
OC1518	15-18	0.52
OC1619	16-19	0.53
OC1720	17-20	0.55
OC1922	19-22	0.58
OC2023	20-23	0.59
OC2225	22-25	0.60
OC2327	23-27	0.61
OC2528	25-28	0.62
OC2731	27-31	0.63
OC3134	31-34	0.65
OC3437	34-37	0.70
OC3740	37-40	0.75
OC4043	40-43	0.80
OC4346	43-46	0.88

BEFORE PURCHASING: Please note, all clamp sizes are to suit the outside diameter (OD) of a hose or pipe. Please check your size before purchasing. If unsure, give us a call and we can find the best hose and clamp combination to suit your needs.

Different clamps are better suited for different applications due to their strength or size. If you have any questions about which clamp or clip to choose, feel free to get in contact and our team can help you select the right size and style clamp for your project.

Hoses and Tubing

Silicone Vacuum Hoses

Extruded Silicone Tubing is ideal for use as: Vacuum Lines, Washer Tubing, Coolant Overflow, Wire Insulation and Emission Control.

Available in three great colours to match any engine bay styling requirements.

Hose Specification

Material	Extruded Silicone
Standard Colours	Blue - Black - Red
Special Colours	Contact us
Temperatures	-60 °C to +200 °C
Length	Up to 30m Continuous



Part No.	ID (mm)	ID (inch)	Wall Thickness	Price (Metre)
SVH 002	2	3/32"	2mm	3.95
SVH 003	3	1/8"	2mm	4.39
SVH 004	4	5/32"	2mm	4.58
SVH 005	5	3/16"	2.5mm	5.23
SVH 006	6	1/4"	2.5mm	5.51
SVH 007	7	9/32"	3mm	6.69
SVH 008	8	5/16"	3mm	7.42
SVH 010	10	3/8"	3mm	9.56
SVH 013	13	1/2"	2.5mm	11.99
SVH 016	16	5/8"	2.5mm	14.20
SVH 019	19	3/4"	3mm	16.75
SVH 022	22	7/8"	3mm	18.95
SVH 025	25	1"	3mm	21.95

PVC Clear

Smooth, transparent PVC, used for conveying liquids, air, light chemicals, oils, detergents and much more.

Operating temperatures from -10 °C to +60 °C

Available from 1m to 30m lengths

Part No.	ID (mm)	Price (Per Metre)
PCT 003	3	3.85
PCT 004	4	3.95
PCT 005	5	4.15
PCT 006	6	4.35
PCT 008	8	4.55
PCT 009	9	4.75
PCT 010	10	5.95
PCT 012	12	6.90
PCT 016	16	7.20
PCT 019	19	8.95
PCT 025	25	11.95



Steel Overbraided

Fuel and Oil resistant rubber with stainless steel overbraided, used in the delivery of fuels & oils.

Operating temperatures from -20 °C to +80 °C

Part No.	Internal (mm)	Max Length	Price (per metre)
AN4	6	10m	18.50
AN6	8.6	10m	19.20
AN8	11.2	10m	19.95
AN10	14	10m	20.40
AN12	17.5	10m	21.95



Silicone Heater Hose

Heat resistant hose with synthetic textile reinforcement, used to convey hot & cold water in automotive vehicles.

Operating temperatures from -40 °C to +120 °C

Part No.	ID (mm)	Wall (mm)	Price/m
AFHH 10	10	5	19.95
AFHH 13	13	5	20.05
AFHH 16	16	5	21.55
AFHH 19	19	5	21.93
AFHH 25	25	5	24.11
AFHH 32	32	5	28.37
AFHH 38	38	5	32.52
AFHH 45	45	5	36.20



Special Order


These hoses available in limited quantity in store.

Custom lengths and sizes available for special order.

Wait times may apply.

Wire Reinforced

- Heat resistant EPDM with synthetic texture and galvanised steel wire.
- Used in cooling and radiator systems.
- 40 °C to +120 °C



Part No.	ID (mm)	Price (Metre)
RWR 019	19	TBA
RWR 022	22	TBA
RWR 025	25	TBA
RWR 028	28	TBA
RWR 032	32	TBA
RWR 035	35	TBA
RWR 038	38	TBA
RWR 045	45	TBA
RWR 051	51	TBA

Radiator Hose

- Heat resistant EPDM rubber.
- Used in cooling systems.
- 40 °C to +120 °C



Size range available (ID): 5mm to 102mm. Contact us for more information

Cotton Overbraided

- Fuel and Oil resistant rubber with a single textile braid.
- Used in the delivery of fuels and oils.
- 40 °C to +85 °C



Part No.	ID (mm)	Price (Metre)
RCO 035	3.5	6.43
RCO 005	5	7.28
RCO 006	6	8.67
RCO 007	7	10.86
RCO 008	8	11.25
RCO 010	10	12.50

Marine Fuel/Oil

- Petrol & Diesel resistant rubber with twin steel wire & copper helix.
- Used in all craft, resistant to flame, ozone & sea conditions.
- 35 °C to +100 °C



Part No.	ID (mm)	Price (Metre)
RMH 005	5	7.72
RMH 006	6	8.73
RMH 008	8	10.63
RMH 010	10	12.92
RMH 013	13	15.56
RMH 016	16	18.38
RMH 019	19	21.83
RMH 025	25	24.36
RMH 032	32	28.22
RMH 038	38	29.46
RMH 051	51	39.18

PVC Braided

- Synthetic Reinforced PVC.
- Used for gardening, irrigation, water delivery & much more.
- 20 °C to +65 °C



Part No.	ID (mm)	Price (Metre)
PBT 006	6	4.00
PBT 008	8	5.40
PBT 010	10	6.20
PBT 013	13	7.10
PBT 016	16	7.80
PBT 019	19	8.70
PBT 025	25	9.90
PBT 032	32	11.78
PBT 038	38	12.66

Fuel & Oil Hose

- Fuel and Oil resistant rubber with fibre reinforcement.
- Resistant to aging, weather, oil and abrasion.
- Used in the delivery of unleaded or leaded fuel types.
- 30 °C to +100 °C



Part No.	ID (mm)	Price (Metre)
5	\$3.22	7.22
6	\$3.40	8.40
8	\$3.89	9.98
10	\$5.10	11.10
13	\$6.25	13.25

Accessories

From Alloy Hose Blanking Plugs to Air Filter Heat Shields not forgetting Silicone Repair Tape, Engine Conduit Wire Cover & Air Ducting Cones.

We are constantly developing our range of performance accessories.



Silicone tapes



Part No.	Colour	Price
SRT B	Blue	16.15
SRT R	Red	16.15
SRT K	Black	16.15
SRT W	White	16.15
SRT Y	Yellow	16.15
SRT G	Green	16.15
SRT K-10M	Black - 10m	22.95

Self bonding Silicone Repair Tape has infinite applications. Most common uses include hose repair and covering of existing rubber hoses in engine bays for colour co-ordination.

Resists moisture, oxygen, and ozone. Smoothly wraps around complex shapes. Bonds to itself at room temperature. Remains non-tacky and does not stick to other surfaces

Tape Specification

Material	Silicone Tape
Width	25mm
Length	3 Metre
Temperature	-60°C to +260 °C

Conduit Kits



Part No.	Colour	Single/Kit	Length (metre)	Price
EDK 001	Blue	Kit	10	24.95
EDK 002	Red	Kit	10	24.95
EDK 003	Black	Kit	10	24.95
SCT 007 K	Blue	7mm	1+	24.95
SCT 010 K	Black	10mm	1+	2.45
SCT 013 K	Black	13mm	1+	3.60
SCT 016 K	Black	16mm	1+	4.10
SCT 020 K	Black	20mm	1+	4.95

Quality Split Polypropylene Conduit with a high temperature range. Ideal for use in the engine to protect cables & hoses, and colour code your engine bay.

Mixed Kit Contents:

- 3 Metres of 7mm ID Conduit.
- 5 Metres of 15mm ID Conduit.
- 2 Metres of 25mm ID Conduit.
- 20 x Colour Coded Cable Ties

Various sizes available per/m.

Conduit Specification

Material	PVC
Contents	Conduit + Cable Ties
Lengths	10 Metre (Total)
Temperature	-60°C to +325 °C

Magnetic Plugs



Magnetic sump plugs are a must have for every engine.

Their magnetic tip picks up the finest of metals that can cause harm to your engine, keeping your engine cleaner and performing better.

Make your next oil change easy, and get a bright colour plug that is easy to spot under your vehicle

Available in a range of fitments to suit hundreds of vehicles. Get in contact to find a size that will suit your car or motorbike.

Part No.	Size	Price
ASP M12	12x1.25mm	\$9.95
ASP M14	14x1.5mm	\$9.95
ASP M20	20x1.5mm	\$9.95
ASP M12x1.5	12x1.5mm	\$9.95
ASP M12x1.75	12x1.75mm	\$9.95

Plug Specification

Material	Alloy Anodized
Tip	Magnetic
Colours	Blue Black Red Gold Purple

Plastic Joiners



Plastic hose joiners are the easiest way to join vacuum hose and pvc tubing. These joiners allow easy connection between hose at any angle, effortlessly linking pipes together to suit any application or need.

Available in straights, T-Fitment, 90 degree fitment, T-Reducer fitment, straight reducers and Y-Fitment pieces, in a range of sizes from 3mm to 19mm Outside Diameter.

Visit mycarperformance.com.au to view our full range of fitments and sizes available

Available Fitments

Straight Piece	Smooth Connector
Straight Reducer	Smaller at one end
T-Fitment	3-intake connector
T Reducer	Smaller spout
90 degree	90 degree angle
Y-fitment	3-intake angled

HID Kits



35w HID Kits using AC Digital Ballasts, with a range of HID bulb adaptors available.

These items are available in limited quantity in store, so please give us a call to check available stock levels.

Please note, 4300K is the highest road-legal Kelvin. See our handy chart below for a visual representation of the Kelvin ratings and their light colours

4300k	8000K
5000K	10000K
6000K	12000K

Available Fitments

H1	H8	H12
H3	H9	HB3
H4-3	H10	HB4
H7	H11	

LED Bulbs



My Car Performance has hundreds of different LED bulbs to suit your interior and exterior needs.

High quality, designed to last for years, with a great light output for a low cost.

Suitable for number plate, interior roof lamp and much more.

Available in Festoon, T10, T15, Canbus, H1, H7 and H4 fitments, with dozens of combinations in length, width, LED number, brightness and fitment. We'll be sure to find an LED that will suit any application

Available in pairs, as single replacement bulbs, or give us a call to inquire about bulk purchasing for retail.

Head to our website to check out our full range.

Ph: 0424 343 997

Ph: (02) 8005 8005

General Inquiries eMail: katrina@mycarperformance.com

Product Specifics eMail: matt@mycarperformance.com